SAFETY DATA SHEET



26 - ACRYLIC PRIMER/STAIN BLOCKER

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name:	26 - ACRYLIC PRIMER/STAIN BLOCKER
Product Code:	26
Product Use:	Primer

Manufacturer

Richards Paint 200 Paint Street Rockledge, Florida, 18004320983

24 Hour Emergency Telephone Number

CHEMTEL (US):	(800)255-3924
CHEMTEL (International):	(813)248-0585

2. HAZARDS IDENTIFICATION

Classification:	This material is considered hazardous by the 2012 OSHA Hazard
	Communication Standard (29 CFR 1910.1200)
	Skin Sensitization: Category 1
	Carcinogenicity: Category 2
Signal Word:	Warning
Pictograms:	
Hazard	H317: May cause an allergic skin reaction
Statements:	H351: Suspected of causing cancer
Prevention	P201: Obtain special instructions before use
Precautionary	P202: Do not handle until all safety precautions have been read and
Statements:	understood
	P261: Avoid breathing dust/fumes/gas/mist/vapors/spray
	P272: Contaminated work clothing should not be allowed out of the
	workplace
	P280: Wear protective gloves/eye protection
	P281: Use personal protective equipment as required
Response	
Precautionary	
Statements:	P333+313: If skin irritation or a rash occurs: Get medical
	advice/attention
	P363: Wash contaminated clothing before reuse

Storage	P405: Store locked up
Precautionary	
Statements:	
Disposal	P501: Dispose of contents/container to an approved waste disposal plant
Precautionary	
Statements:	
Hazards Not	May cause allergic skin reaction
Otherwise	
Classified:	

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	Weight %	CAS Number
Titanium dioxide	5% to 10%	13463-67-7
Zinc oxide	1% to 5%	1314-13-2
Silicon dioxide	0% to 1%	7631-86-9

4. FIRST AID MEASURES

No hazards requiring special first aid measures
Remove contact lenses, if applicable. Flush eyes with water for at least
15 minutes. Consult a physician.
Remove contaminated clothing. Flush affected area with soap and
water.
Remove dentures if applicable and wash out mouth with water. Drink
large amounts of water. Consult a physician if necessary.
Move to fresh air. Consult a physician if necessary.
May cause allergic skin reaction
Treat symptomatically

5. FIRE FIGHTING MEASURES

Suitable	Use measures suitable to the circumstances and environment
Extinguishing	
Media:	
Precautions for	Wear self-contained breathing apparatus and protective gear
Firefighters:	
Specific Hazards:	Sealed containers may rupture if exposed to high temperatures
Mechanical Impact	No
Sensitivity:	
Static Discharge	No
Sensitivity:	

6. ACCIDENTAL RELEASE MEASURES

Personal	Avoid contact with skin, eyes, and clothing. Avoid breathing vapors.	
Precautions:		
Other Precautions:	If safe to do so, prevent additional spillage	
Clean-Up Method:	Soak up with inert absorbent material. Dispose of used absorbent in	
_	suitable containers.	

7. HANDLING AND STORAGE

Handling	Avoid contact with skin, eyes, and clothing. Avoid breathing vapors,
Precautions:	mists, or dust. Wear respiratory equipment if ventilation is insufficient.
Storage	Keep container tightly closed and out of reach of children
Precautions:	
Incompatible	None
Materials:	

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Zinc oxide(1314-13-2)		
ACGIH	TWA: 2 mg/m3	STEL: 10 mg/m3
NIOSH	TWA: 5 mg/m3	ST: 10 mg/m3
OSHA	TWA: 5 mg/m3	
Silicon dioxide(7631-86-9)		
NIOSH TWA:	6 mg/m3	
OSHA TWA:	20 mil particles/ft3	80 mg/m3/%SiO2
Titanium dioxide(13463-67-7)		
TWA:	ACGIH: 10 mg/m3	OSHA: 15 mg/m3

Engineering	Maintain adequate ventilation to keep exposure to airborne
Measures:	contaminants at safe levels. Use explosion-proof equipment.
Hygiene Measures:	No eating, drinking, or smoking while in use. Avoid contact with skin,
	eyes, and clothing. Wash hands, forearms, and face after handling.
	Wash contaminated clothing before re-use.
Eye/Face	Safety glasses/goggles
Protection:	
Skin Protection:	Protective gloves and protective clothing
Respiratory	Respiratory equipment if ventilation is inadequate
Protection:	

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Liquid
Color:	Determined by customer (white by default)
Odor:	Little to none
Odor Threshold:	No information available
pH:	No information available
Melting Point (°F):	No information available
Boiling Point (°F):	>3992
Flash Point (°F):	No information available
Flash Point	No information available
Method:	
Evaporation Rate:	No information available
Flammability	No information available
(Solid/Gas):	
Flammability	No information available
Limits:	
Vapor Pressure	No information available
(mm Hg):	
Vapor Density:	No information available
Specific Gravity:	No information available

% Solubility in Water:	No information available
Octanol/Water Partition Coefficient:	No information available
Auto-Ignition Temperature (°F):	No information available
Decomposition Temperature (°F):	No information available
Viscosity (KU):	No information available

10. STABILITY AND REACTIVITY

Reactivity:	Not applicable
Possibility of	None under normal conditions of use
Hazardous	
Reactions:	
Hazardous	None under normal conditions of use
Decomposition	
Products:	
Stability:	Stable under normal conditions
Incompatible	None
Materials:	
Conditions to	Freezing
Avoid:	

11. TOXICOLOGICAL INFORMATION

Zinc oxide(1314-13-2)		
Inhalation LC50 (mouse):	2500 mg/m3	
Oral LD50 (mouse):	7950 mg/kg	
Silicon dioxide(7631-86-9)		
Oral LD50 (rat):	3160 mg/kg	
Titanium dioxide(13463-67-7)		
Dermal LD50 (rabbit): >10000 mg/kg		
Oral LD50 (rat):	>10000 mg/kg	

Primary Routes of	Eye contact, skin contact, inhalation
Exposure:	
Acute Toxicity:	No information available

Exposure Effects	
Eye Contact:	Irritation
Skin Contact:	Irritation, drying
Inhalation:	Irritation of respiratory system
Ingestion:	Gastrointestinal irritation, diarrhea, nausea, vomiting
Target Organ	No information available
(Single Exposure):	
Target Organ	No information available
(Repeated	
Exposure):	
Sensitization:	No information available

Neurological Effects:	No information available
Mutagenicity:	No information available
Reproductive	No information available
Effects:	
Developmental	No information available
Effects:	
Other:	No information available

12. ECOLOGICAL INFORMATION

Zinc oxide(1314-13-2)	
EC50 (water flea, 48 hrs):	0.098 mg/L
LC50 (rainbow trout, 96 hrs):	1.1 mg/L
Titanium dioxide(13463-67-7)	
EC50 (water flea, 48 hrs):	>1000 mg/L
LC50 (fish, 96 hrs):	>1000 mg/L

Ecotoxicological Effects:	The environmental impact of this substance has not been fully evaluated
Acute Toxicity to Fish:	No information available
Acute Toxicity to Marine Invertebrates:	No information available
Acute Toxicity to Marine Plants:	No information available
Persistence/ Degradability:	No information available
Bioaccumulative Potential:	No information available
Environmental Mobility:	No information available
Ozone:	No information available

13. DISPOSAL CONSIDERATIONS

Disposal Method: Dispose of in accordance with federal, state, provincial, and local regulations.

14. TRANSPORT INFORMATION

DOT:	Not regulated
ICAO/IATA:	Not regulated
IMDG/IMO:	Not regulated

15. REGULATORY INFORMATION

TSCA (US):	All components are listed or exempt
DSL (Canada):	All components are listed or exempt

Categories

Fire:	No
Pressure	No
Generating:	
Reactivity:	No
Acute:	Yes
Chronic:	Yes

<u>SARA 313</u>


This material does not contain any hazardous components exceeding the reporting thresholds established by SARA Title III, Section 313.

State Right-to-Know					
Chemical Name	CAS Number	MA	NJ	PA	RI
Zinc oxide	1314-13-2	Х	Х	Х	
Silicon dioxide	7631-86-9	Х	Х	Х	
Titanium dioxide	13463-67-7	Х	Х	Х	Х

CaliforniaThis product may contain small amounts of materials known to the stateProposition 65:of California to cause cancer or reproductive harm

16. OTHER INFORMATION

HMIS RATING		
Health:	1*	
Flammability:	0	
Reactivity:	0	
Personal Protection:		



PPE rating has been left intentionally blank. Choose appropriate PPE based upon actual conditions of use.

Revision Indicator:	Revised 5/26/2016		
Disclaimer:	The information contained in this Safety Data Sheet (SDS) is provided in		
	good faith and is believed to be accurate as of the effective date listed.		
	The information applies only to the product as provided and may not be valid if combined with other materials. No warranty is implied or given.		
	The user is responsible for complying with all applicable laws and		
	regulations.		