SAFETY DATA SHEET



8000 - FIELD MARKING - WHITE

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name:	8000 - FIELD MARKING - WHITE
Product Code:	8000
Product Use:	Paint

Manufacturer Richard's Paint 200 Paint Street Rockledge, Florida, 800-432-0983

24 Hour Emergency Telephone Number

CHEMTEL (US): (800)255-3924 CHEMTEL (International): (813)248-0585

2. HAZARDS IDENTIFICATION

Classification:	This material is considered hazardous by the 2012 OSHA Hazard
	Communication Standard (29 CFR 1910.1200)
	Carcinogenicity: Category 1A
Signal Word:	Danger
Pictograms:	
Hazard	H350: May cause cancer
Statements:	
Prevention	P201: Obtain special instructions before use
Precautionary	P202: Do not handle until all safety precautions have been read and
Statements:	understood
	P281: Use personal protective equipment as required
Response	P308+313: IF exposed: Call a POISON CENTER or doctor/physician
Precautionary	
Statements:	
Storage	P405: Store locked up
Precautionary	
Statements:	
Disposal	P501: Dispose of contents/container to an approved waste disposal plant
Precautionary	
Statements:	

Date Issued: 6/9/2016 SDS Ref. #: 8000 Page 1 of 7

Hazards Not	None
Otherwise	
Classified:	

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	Weight %	CAS Number
Talc	5% to 10%	14807-96-6
Titanium dioxide	1% to 5%	13463-67-7
Diatomite	1% to 5%	61790-53-2
Ethylene glycol	0% to 1%	107-21-1
Ammonium hydroxide	0% to 1%	1336-21-6
Silicon dioxide	0% to 1%	7631-86-9
Crystalline silica	0% to 1%	14808-60-7
4,4-dimethyloxazolidine	0% to 1%	51200-87-4

4. FIRST AID MEASURES

General Advice:	No hazards requiring special first aid measures	
Eyes:	Remove contact lenses, if applicable. Flush eyes with water for at least	
_	15 minutes. Consult a physician.	
Skin:	Remove contaminated clothing. Flush affected area with soap and	
	water.	
Ingestion:	Remove dentures if applicable and wash out mouth with water. Drink	
	large amounts of water. Consult a physician if necessary.	
Inhalation:	Move to fresh air. Consult a physician if necessary.	
Most Important	None known	
Symptoms/Effects:		
Notes to Physician:	Treat symptomatically	

5. FIRE FIGHTING MEASURES

Suitable Extinguishing Media:	Use measures suitable to the circumstances and environment
Precautions for Firefighters:	Wear self-contained breathing apparatus and protective gear
Specific Hazards:	Sealed containers may rupture if exposed to high temperatures
Mechanical Impact	No
Sensitivity:	
Static Discharge	No
Sensitivity:	

6. ACCIDENTAL RELEASE MEASURES

Personal	Avoid contact with skin, eyes, and clothing. Avoid breathing vapors.
Precautions:	
Other Precautions:	If safe to do so, prevent additional spillage
Clean-Up Method:	Soak up with inert absorbent material. Dispose of used absorbent in
-	suitable containers.

7. HANDLING AND STORAGE

Date Issued: 6/9/2016 SDS Ref. #: 8000 Page 2 of 7

Handling	Avoid contact with skin, eyes, and clothing. Avoid breathing vapors,
Precautions:	mists, or dust. Wear respiratory equipment if ventilation is insufficient.
Storage	Keep container tightly closed and out of reach of children
Precautions:	
Incompatible	None
Materials:	

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ethylene glycol(107-21-1)		
ACGIH C:	100 mg/m3	
Ammonium hydroxide(1336-21-6)		
ACGIH STEL:	35 ppm	
ACGIH TWA:	25 ppm	
NIOSH ST:	35 ppm	27 mg/m3
NIOSH TWA:	25 ppm	18 mg/m3
Silicon dioxide(7631-86-9)		
NIOSH TWA:	6 mg/m3	
OSHA TWA:	20 mil particles/ft3	80 mg/m3/%SiO2
Titanium dioxide(13463-67-7)		
TWA:	ACGIH: 10 mg/m3	OSHA: 15 mg/m3
Talc(14807-96-6)		
ACGIH TWA:	2 mg/m3	
NIOSH TWA:	2 mg/m3	
OSHA TWA:	20 mppcf	
Crystalline silica(14808-60-7)		
ACGIH TWA:	.025 mg/m3	
NIOSH TWA:	.05 mg/m3	
OSHA TWA:	10 mg/m3/%SiO2+2	250 mppcf/%SiO2+5
Diatomite(61790-53-2)		
NIOSH TWA:	6 mg/m3	
OSHA TWA:	20 mppcf	80 mg/m3/%SiO2

Engineering	Maintain adequate ventilation to keep exposure to airborne	
Measures:	contaminants at safe levels. Use explosion-proof equipment.	
Hygiene Measures:	No eating, drinking, or smoking while in use. Avoid contact with skin,	
	eyes, and clothing. Wash hands, forearms, and face after handling.	
	Wash contaminated clothing before re-use.	
Eye/Face	Safety glasses/goggles	
Protection:		
Skin Protection:	Protective gloves and protective clothing	
Respiratory	Respiratory equipment if ventilation is inadequate	
Protection:		

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Liquid
Color:	White
Odor:	Little to none
Odor Threshold:	No information available
pH:	No information available
Melting Point (°F):	No information available
Boiling Point (°F):	100.0 -212
Flash Point (°F):	120.00

Date Issued: 6/9/2016 SDS Ref. #: 8000 Page 3 of 7

Flash Point	Closed cup
Method:	
Evaporation Rate:	No information available
Flammability	No information available
(Solid/Gas):	
Flammability	No information available
Limits:	
Vapor Pressure	No information available
(mm Hg):	
Vapor Density:	No information available
Specific Gravity:	No information available
% Solubility in	No information available
Water:	
Octanol/Water	No information available
Partition	
Coefficient:	
Auto-Ignition	No information available
Temperature (°F):	
Decomposition	No information available
Temperature (°F):	
Viscosity (KU):	No information available

10. STABILITY AND REACTIVITY

Reactivity:	Not applicable
Possibility of	None under normal conditions of use
Hazardous	
Reactions:	
Hazardous	None under normal conditions of use
Decomposition	
Products:	
Stability:	Stable under normal conditions
Incompatible	None
Materials:	
Conditions to	Freezing
Avoid:	

11. TOXICOLOGICAL INFORMATION

Ethylene glycol(107-21-1)	
Dermal LD50 (rabbit):	10626 mg/kg
Oral LD50 (rat):	4700 mg/kg
Silicon dioxide(7631-86-9)	
Oral LD50 (rat):	3160 mg/kg
Titanium dioxide(13463-67-7)	
Dermal LD50 (rabbit):	>10000 mg/kg
Oral LD50 (rat):	>10000 mg/kg

Primary Routes of	Eye contact, skin contact, inhalation
Exposure:	
Acute Toxicity:	No information available

Exposure Effects	
Eye Contact:	Irritation

Date Issued: 6/9/2016 SDS Ref. #: 8000 Page 4 of 7

Skin Contact:	Irritation, drying
Inhalation:	Irritation of respiratory system
Ingestion:	Gastrointestinal irritation, diarrhea, nausea, vomiting
Target Organ	No information available
(Single Exposure):	
Target Organ	Prolonged or repeated exposure may cause organ damage and cancer
(Repeated	
Exposure):	
Sensitization:	No information available
Neurological	No information available
Effects:	
Mutagenicity:	No information available
Reproductive	No information available
Effects:	
Developmental	No information available
Effects:	
Other:	No information available

12. ECOLOGICAL INFORMATION

Ethylene glycol(107-21-1)		
EC50 (water flea, 24 hrs):	74000 mg/L	
LC50 (golden orfe, 48 hrs):	>10000 mg/L	
LC50 (rainbow trout, 96 hrs):	18500 mg/kg	
LC50 (water flea, 48 hrs):	41000 mg/L	
NOEC (fathead minnow, 7 days):	32000 mg/L	
NOEC (fathead minnow, 96 hrs):	39140 mg/L	
NOEC (water flea, 48 hrs):	24000 mg/L	
Titanium dioxide(13463-67-7)		
EC50 (water flea, 48 hrs):	>1000 mg/L	
LC50 (fish, 96 hrs):	>1000 mg/L	

Ecotoxicological Effects:	The environmental impact of this substance has not been fully evaluated
Acute Toxicity to Fish:	
Acute Toxicity to Marine Invertebrates:	No information available
Acute Toxicity to Marine Plants:	No information available
Persistence/ Degradability:	No information available
Bioaccumulative Potential:	No information available
Environmental Mobility:	No information available
Ozone:	No information available

13. DISPOSAL CONSIDERATIONS

Disposal Method:	Dispose of in accordance with federal, state, provincial, and local
	regulations.

14. TRANSPORT INFORMATION

Date Issued: 6/9/2016 SDS Ref. #: 8000 Page 5 of 7

DOT:	Not regulated
ICAO/IATA:	Not regulated
IMDG/IMO:	Not regulated

15. REGULATORY INFORMATION

TSCA (US):	All components are listed or exempt
DSL (Canada):	All components are listed or exempt

311/312 Hazard	
<u>Categories</u>	
Fire:	No
Pressure	No
Generating:	
Reactivity:	No
Acute:	No
Chronic:	Yes

SARA 313

This material does not contain any hazardous components exceeding the reporting thresholds established by SARA Title III, Section 313.


State Right-to-Know					
Chemical Name	CAS Number	MA	ŊĴ	PA	RI
Ethylene glycol	107-21-1	X	X	X	Х
Ammonium hydroxide	1336-21-6	X	X	X	
Silicon dioxide	7631-86-9	X	X	X	
Titanium dioxide	13463-67-7	X	X	X	Х
Talc	14807-96-6	X	X	X	
Crystalline silica	14808-60-7	X	Х	Х	Х
Diatomite	61790-53-2		X		

California This product may contain small amounts of materials known to the state **Proposition 65:** of California to cause cancer or reproductive harm

16. OTHER INFORMATION

HMIS RATING	
Health:	1*
Flammability:	0
Reactivity:	0
Personal Protection:	

NFPA CODES



PPE rating has been left intentionally blank. Choose appropriate PPE based upon actual conditions of use.

Revision Indicator:	Revised 6/9/2016

Date Issued: 6/9/2016 SDS Ref. #: 8000 Page 6 of 7

Disclaimer:

The information contained in this Safety Data Sheet (SDS) is provided in good faith and is believed to be accurate as of the effective date listed. The information applies only to the product as provided and may not be valid if combined with other materials. No warranty is implied or given. The user is responsible for complying with all applicable laws and regulations.

Date Issued: 6/9/2016 SDS Ref. #: 8000 Page 7 of 7