# SAFETY DATA SHEET



## 4730 - DECK GUARD FLEX-SMOOTH T.B.

## **1. PRODUCT AND COMPANY IDENTIFICATION**

Product Name:	4730 - DECK GUARD FLEX-SMOOTH T.B.
Product Code:	4730
Product Use:	Paint

#### Manufacturer

Richard's Paint 200 Paint Street Rockledge, Florida, 800-432-0983

## 24 Hour Emergency Telephone Number

CHEMTEL (US): (800)255-3924 CHEMTEL (International): (813)248-0585

#### 2. HAZARDS IDENTIFICATION

Classification:	This material is considered hazardous by the 2012 OSHA Hazard
Classification:	This material is considered hazardous by the 2012 OSHA Hazard
	Communication Standard (29 CFR 1910.1200)
	Carcinogenicity: Category 1A
Signal Word:	Danger
Pictograms:	
Hazard	H350: May cause cancer
Statements:	
Prevention	P201: Obtain special instructions before use
Precautionary	P202: Do not handle until all safety precautions have been read and
Statements:	understood
	P281: Use personal protective equipment as required
Response	P308+313: IF exposed: Call a POISON CENTER or doctor/physician
Precautionary	
Statements:	
Storage	P405: Store locked up
Precautionary	·
Statements:	
Disposal	P501: Dispose of contents/container to an approved waste disposal plant
Precautionary	
Statements:	

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	Weight %	CAS Number
Ethylene glycol	0% to 1%	107-21-1
Ammonium hydroxide	0% to 1%	1336-21-6
4,4-dimethyloxazolidine	0% to 1%	51200-87-4

### **4. FIRST AID MEASURES**

General Advice:	No hazards requiring special first aid measures
Eyes:	Remove contact lenses, if applicable. Flush eyes with water for at least
	15 minutes. Consult a physician.
Skin:	Remove contaminated clothing. Flush affected area with soap and
	water.
Ingestion:	Remove dentures if applicable and wash out mouth with water. Drink
	large amounts of water. Consult a physician if necessary.
Inhalation:	Move to fresh air. Consult a physician if necessary.
Most Important	None known
Symptoms/Effects:	
Notes to Physician:	Treat symptomatically

#### **5. FIRE FIGHTING MEASURES**

Suitable Extinguishing Media:	Use measures suitable to the circumstances and environment
Precautions for Firefighters:	Wear self-contained breathing apparatus and protective gear
Specific Hazards:	Sealed containers may rupture if exposed to high temperatures
Mechanical Impact Sensitivity:	No
Static Discharge Sensitivity:	No

#### **6. ACCIDENTAL RELEASE MEASURES**

Personal	Avoid contact with skin, eyes, and clothing. Avoid breathing vapors.
Precautions:	
Other Precautions:	If safe to do so, prevent additional spillage
Clean-Up Method:	Soak up with inert absorbent material. Dispose of used absorbent in
	suitable containers.

## 7. HANDLING AND STORAGE

Handling	Avoid contact with skin, eyes, and clothing. Avoid breathing vapors,	
Precautions:	mists, or dust. Wear respiratory equipment if ventilation is insufficient.	
Storage	Keep container tightly closed and out of reach of children	
Precautions:		

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ethylene glycol(107-21-1)			
ACGIH C:	100 mg/m3		
Ammonium hydroxide(1336-21-6)			
ACGIH STEL:	35 ppm		
ACGIH TWA:	25 ppm		
NIOSH ST:	35 ppm	27 mg/m3	
NIOSH TWA:	25 ppm	18 mg/m3	

Engineering	Maintain adequate ventilation to keep exposure to airborne	
Measures:	contaminants at safe levels. Use explosion-proof equipment.	
<b>Hygiene Measures:</b>	No eating, drinking, or smoking while in use. Avoid contact with skin,	
	eyes, and clothing. Wash hands, forearms, and face after handling.	
	Wash contaminated clothing before re-use.	
Eye/Face	Safety glasses/goggles	
Protection:		
Skin Protection:	Protective gloves and protective clothing	
Respiratory	Respiratory equipment if ventilation is inadequate	
Protection:		

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Liquid
Color:	Determined by customer (white by default)
Odor:	Little to none
Odor Threshold:	No information available
pH:	No information available
Melting Point (°F):	No information available
Boiling Point (°F):	100.0 -212
Flash Point (°F):	120.00
Flash Point	Closed cup
Method:	
Evaporation Rate:	No information available
Flammability	No information available
(Solid/Gas):	
Flammability	No information available
Limits:	
Vapor Pressure	No information available
(mm Hg):	
Vapor Density:	No information available
Specific Gravity:	No information available
% Solubility in	No information available
Water:	
Octanol/Water	No information available
Partition	
Coefficient:	
Auto-Ignition	No information available
Temperature (°F):	
Decomposition	No information available
Temperature (°F):	
Viscosity (KU):	No information available

## **10. STABILITY AND REACTIVITY**

Reactivity:	Not applicable
Possibility of	None under normal conditions of use
Hazardous	
Reactions:	
Hazardous	None under normal conditions of use
Decomposition	
Products:	
Stability:	Stable under normal conditions
Incompatible	None
Materials:	
Conditions to	Freezing
Avoid:	

## **11. TOXICOLOGICAL INFORMATION**

Ethylene glycol(107-21-1)		
	Dermal LD50 (rabbit):	10626 mg/kg
	Oral LD50 (rat):	4700 mg/kg

Primary Routes of	Eye contact, skin contact, inhalation
Exposure:	
Acute Toxicity:	No information available

Exposure Effects			
Eye Contact:	Irritation		
Skin Contact:	Irritation, drying		
Inhalation:	Irritation of respiratory system		
Ingestion:	Gastrointestinal irritation, diarrhea, nausea, vomiting		
Target Organ	No information available		
(Single Exposure):			
Target Organ	Prolonged or repeated exposure may cause organ damage and cancer		
(Repeated			
Exposure):			
Sensitization:	No information available		
Neurological	No information available		
Effects:			
Mutagenicity:	No information available		
Reproductive	No information available		
Effects:			
Developmental	No information available		
Effects:			
Other:	No information available		

## **12. ECOLOGICAL INFORMATION**

Ethylene glycol(107-21-1)	
EC50 (water flea, 24 hrs):	74000 mg/L
LC50 (golden orfe, 48 hrs):	>10000 mg/L
LC50 (rainbow trout, 96 hrs):	18500 mg/kg
LC50 (water flea, 48 hrs):	41000 mg/L
NOEC (fathead minnow, 7 days):	32000 mg/L

NOEC (fathead minnow, 96 hrs):	39140 mg/L
NOEC (water flea, 48 hrs):	24000 mg/L

Ecotoxicological	The environmental impact of this substance has not been fully evaluated
Effects:	
Acute Toxicity to	No information available
Fish:	
Acute Toxicity to	No information available
Marine	
Invertebrates:	
Acute Toxicity to	No information available
Marine Plants:	
Persistence/	No information available
Degradability:	
Bioaccumulative	No information available
Potential:	
Environmental	No information available
Mobility:	
Ozone:	No information available
	No information available

#### **13. DISPOSAL CONSIDERATIONS**

**Disposal Method:** Dispose of in accordance with federal, state, provincial, and local regulations.

#### **14. TRANSPORT INFORMATION**

DOT:	Not regulated
ICAO/IATA:	Not regulated
IMDG/IMO:	Not regulated

#### **15. REGULATORY INFORMATION**

TSCA (US):	All components are listed or exempt
DSL (Canada):	All components are listed or exempt

311/312 Hazard	
<u>Categories</u>	
Fire:	No
Pressure	No
Generating:	
Reactivity:	No
Acute:	No
Chronic:	Yes

## <u>SARA 313</u>


This material does not contain any hazardous components exceeding the reporting thresholds established by SARA Title III, Section 313.

State Right-to-Know					
Chemical Name	CAS Number	MA	NJ	PA	RI
Ethylene glycol	107-21-1	Х	Х	Х	Х
Ammonium hydroxide	1336-21-6	Х	Х	Х	

CaliforniaThis product may contain small amounts of materials known to the stateProposition 65:of California to cause cancer or reproductive harm

### **16. OTHER INFORMATION**

HMIS RATING	
Health:	1*
Flammability:	0
Reactivity:	0
Personal Protection:	



PPE rating has been left intentionally blank. Choose appropriate PPE based upon actual conditions of use.

<b>Revision Indicator:</b>	Revised 6/14/2016
	The information contained in this Safety Data Sheet (SDS) is provided in good faith and is believed to be accurate as of the effective date listed. The information applies only to the product as provided and may not be valid if combined with other materials. No warranty is implied or given. The user is responsible for complying with all applicable laws and
	regulations.